





































Movement Absorption

Pipe expansion joints provide axial movement absorption and maintain the pipeline security. A heating pipeline system at 90/70°C causes approximately 3 mm of movement for each floor of the buildings. For the buildings higher than 10 floors, use of the pipe expansion joints becomes compulsory in order to absorbe total expansion amount. Pipe expansion joint application must be repeated for each section between 8-10 floors.

Advantages of Pipe Expansion Joints

- They prevent damage to pipelines result of the line movements
- They absorb the possible noises and provide convenience for the users
- They are installed easily and provide time and money saving
- They have a compact and decorative design that reduces the waste of space
- They help to protect equipment from stress due to misalignment

Application Areas

• HVAC piping lines

DESIGN (EN 14917)

Body Aluminium external pipe or Stainless steel (optional)

Bellow Material Stainless Steel AISI 316L & 321 **Connection Types** Welded Ended & Threaded

Inner Sleeve Built in internal pipe (St 37.2) operates like inner sleeve

Operation Conditions

Operating Temperature -10°C/+100°C

Standard pressure rating is PN16 Operating Pressure

Can be produced with different pressure rates


PN corresponds to the allowable operating pressure at room temperature

Important

Standard models are produced as un-restrained, fixed points should be created as to withstand springing force as well as pressure thrust caused by the system pressure. For detailed information, get in contact with Ayvaz's expert sales team. We strongly advise against the use of expansion joints and bellows for misalignment. Torsion on bellow parts are not desirable and should be eliminated.



| Threaded, Pipe Expansion Joints | | | | | | |
|---------------------------------|--|---------|-----|--|--|--|
| Туре | e Movement Available Size (inch) Pressure Class (PN) | | | | | |
| BKD-50 | 50mm (-45/+5) | 1/2"-2" | 1,4 | | | |
| DKD-30 | 50mm (-35/+15) | 2½"-5" | 16 | | | |



| Bellows Information | | | | BKD-50 | | | | |
|---------------------|----------------|------------------------|----------------|---------------------------|----|----|-----|--------------|
| Size | Inner Diameter | Axial Move- ment mm | Effective Area | Axial Spring Rate N/mm | ØD | SW | L | Code |
| 1/2" | 21,3 | +5/-45 | 7,5 | 18 | 38 | 32 | 290 | 702020050002 |
| 3/4" | 26,9 | +5/-45 | 7,5 | 18 | 38 | 32 | 290 | 702020050004 |
| 1" | 33,7 | +5/-45 | 11 | 16 | 48 | 41 | 285 | 702020050006 |
| 1 1/4" | 42,2 | +5/-45 | 17,8 | 19 | 60 | 50 | 320 | 702020050008 |
| 1 1/2" | 48,3 | +5/-45 | 26 | 22 | 75 | 65 | 320 | 702020050010 |
| 2" | 60,3 | +5/-45 | 26 | 22 | 75 | 65 | 320 | 702020050012 |

| Reduction Factors for Pressure | | | | | | |
|--------------------------------|------------------------|-------------------|------------------------|--|--|--|
| Temperature °C | Reduction Factor Kp | Temperature °C | Reduction Factor Kp | | | |
| 20 | 1,00 | 350 | 0,64 | | | |
| 100 | 0,85 | 400 | 0,63 | | | |
| 150 | 0,81 | 450 | 0,62 | | | |
| 200 | 0,77 | 500 | 0,60 | | | |
| 250 | 0,71 | 550 | 0,59 | | | |
| 300 | 0,68 | 600 | 0,57 | | | |

Pressure reduction factor

The reduction factor is used to define the design pressure [PS] where temperatures exceed 20 °C. It compensates for the decay in material mechanical properties at elevated temperatures. The calculated pressure is lower than the nominal pressure of the standard item.

Calculation: PS ≤ PN x Kp

^{*} All the dimensions in the table are given in "mm".
** Subject to technical alterations and deviations resulting from the manufacturing process without giving any notification.

















| Welded Ends, Pipe Expansion Joints | | | | | | |
|--|---------------|-------|----|--|--|--|
| Type Movement Available Pressure (Size (DN) (PN) | | | | | | |
| BKKB-50 | 50mm (-45/+5) | 15-50 | 16 | | | |

| Welded Ends, Pipe Expansion Joints | | | | | | | |
|------------------------------------|---|--------|----|--|--|--|--|
| Туре | ype Movement Available Pressure Cla Size (DN) (PN) | | | | | | |
| BKKB-50 | 50mm (-35/+15) | 65-150 | 16 | | | | |





| Bellows Information | | | | | BKKB-50 | | | |
|---------------------|----------------|------------------------|----------------|---------------------------|---------|-----|-----|--------------|
| Size | Inner Diameter | Axial Move- ment mm | Effective Area | Axial Spring Rate N/mm | ØD | S | L | Code |
| DN15 | 21,3 | +5/-45 | 7,5 | 18 | 38 | 2,5 | 290 | 702020030002 |
| DN20 | 26,9 | +5/-45 | 7,5 | 18 | 38 | 3 | 290 | 702020030004 |
| DN25 | 33,7 | +5/-45 | 11 | 16 | 48 | 3 | 285 | 702020030006 |
| DN32 | 42,2 | +5/-45 | 17,8 | 19 | 60 | 3 | 320 | 702020030008 |
| DN40 | 48,3 | +5/-45 | 26 | 22 | 75 | 3 | 320 | 702020030010 |
| DN50 | 60,3 | +5/-45 | 26 | 22 | 75 | 3 | 320 | 702020030012 |
| DN65 | 76,1 | +15/-35 | 57,5 | 65 | 107 | 2,9 | 330 | 702020030014 |
| DN80 | 88,9 | +15/-35 | 78,5 | 91 | 127 | 3,2 | 330 | 702020030016 |
| DN100 | 114,3 | +15/-35 | 126,7 | 148 | 158 | 3,6 | 330 | 702020030018 |
| DN125 | 139,7 | +15/-35 | 181,1 | 199 | 180 | 4 | 330 | 702020030020 |
| DN150 | 168,3 | +15/-35 | 266,4 | 213 | 220 | 4,5 | 400 | 702020030022 |

| Reduction Factors for Pressure | | | | | | | |
|--------------------------------|------------------------|-------------------|------------------------|--|--|--|--|
| Temperature °C | Reduction Factor Kp | Temperature °C | Reduction Factor Kp | | | | |
| 20 | 1,00 | 350 | 0,64 | | | | |
| 100 | 0,85 | 400 | 0,63 | | | | |
| 150 | 0,81 | 450 | 0,62 | | | | |
| 200 | 0,77 | 500 | 0,60 | | | | |
| 250 | 0,71 | 550 | 0,59 | | | | |
| 300 | 0,68 | 600 | 0,57 | | | | |

Pressure reduction factor


The reduction factor is used to define the design pressure [PS] where temperatures exceed 20 °C. It compensates for the decay in material mechanical properties at elevated temperatures. The calculated pressure is lower than the nominal pressure of the standard item.

Calculation: PS ≤ PN x Kp

^{*} All the dimensions in the table are given in "mm".

** Subject to technical alterations and deviations resulting from the manufacturing process without giving any notification.





THERMAL EXTENSION CALCULATION & **EXPANSION JOINT SELECTION**

Min. Installation temperature= -10°C

Max. Operation temperature= 95°C


K=Thermal expansion coefficient for carbon steel pipes =

 Δ L=total thermal expansion=K x Δ t x (H x N) x s


Result: Total expansion of the pipe (44,49mm) must be absorbed by expansion joint that must have min. 44,49mm compression capacity. Using single Ayvaz pipe expansion joint with 50mm (-45/+5) axial movement capacity is sufficient enough to absorb total pipe's expansion.

Single Expansion Joint for The Buildings

• Pipe line of the top 3 floors in not necessary to be fixed as the pipe & branch equipment like elbows, tees etc... would be sufficient to absorb the expansion. Similarly, 4 floors from the bottom do not require the use of expansion ioint as the main connection at the basement (not fixed) would slide upward and downward to withstand the



14



BASEMENT

02

01




AYVAZ PIPE EXPANSION JOINTS BUILDING INSTALLATION SCHEME

HEATING LINE FOR CARBON STEEL PIPELINES FOR BUILDINGS WITH 8-40 FLOORS


Dimensions : DN15-DN50

Total Axial Mov. Capacity : 50mm (45mm comp/5mm ext.)

Max. Operating Pressure : 16 bar Floor Height : 3-3,3m Operating Temperature : 95°C Min. Ambient Temperature : -10°C









AYVAZ PIPE EXPANSION JOINTS BUILDING INSTALLATION SCHEME

HEATING LINE FOR CARBON STEEL PIPELINES FOR BUILDINGS WITH 8-40 FLOORS

Dimensions : DN65-DN150

Total Axial Mov. Capacity : 50mm (35mm comp/15mm ext.)

Max. Operating Pressure : 16 bar Floor Height : 3-3,3m Operating Temperature : 95°C Min. Ambient Temperature : -10°C

