



MG-33SC

DISPLAY SCALE MODEL MAGNETIC LEVEL GAUGE

GENERAL FEATURES

Ayvaz MG-33SC Magnetic Level Indicator is a light designed level indicator used in tanks that do not require pressure strength. It is a convenient and safe device designed to combine the principles of lifting and pulling of electro-magnet. The magnets in the float enable you to follow the liquid change level with the help of red-white coloured flaps placed on the outer wall. Easy to read height with display scale.

Advantages


- Continuous and easy monitoring
- Sealing construction
- Requested length and connection manufacturing
- Ability to work in different densities
- Manufacturing according to various installation types
- Long life time • Easy maintenance • Lightweight

Application Areas

- All steam and hot water boilers
- Waste water systems
- Filling and unloading containers
- All chemical and petrochemical tanks
- Tanks for petroleum and petroleum products
- Oil boilers
- Diesel fuel tanks and generator sets
- Submarine, helicopter and ship fuel tanks



PRODUCT FEATURES

Body	: AISI 304 /316 Stainless Steel
Float	: AISI 316L Stainless Steel
Magnetic Disc	: Aluminium
Flap	: Plastic / Aliminium
Connection	: Flange, M/F, Union
Flange Type	: DIN, ANSI, JIS
Flange Material	: Carbon Steel St. 37.2, Stainless Steel
Max. Working Pres.	: 10 bar
Max Working Temp.	: 160 °C
Contact	: YES
Protection Class	: IP66
Drain Plug	: 3/8"
Display Scale	: Litre, Galon, mm, inch, m ³ , ft ³



* Different size, connection, pressure and applications
Please consult our sales team.

MG-33SC DISPLAY SCALE MODEL MAGNETIC LEVEL GAUGE



You are required to inform sales team during the order

- Connection type and dimension (M/F, flange, diameter)
- Distance between connections
- (From the upper pipe center to the bottom pipe center)
- Fluid density to be used
- Fluid temperature

Note:

Magnetic level gauge mounting height from the ground should be the minimum size of float disassembly measurement. If the float fails, it can be easily interrupted. The product can not be mounted if the level gauge is smaller than the float chamber measurement.


PRODUCT FEATURES	
Body	AISI 304/316 Stainless Steel
Float	AISI 316L Stainless Steel
Magnetic Disc	Aluminium
Flaps	Plastic, Aluminium
Connection	Flanged, M/F, Union
Flange Types	DIN, ANSI, JIS
Flange Materials	Carbon Steel St 37.2/ Stainless Steel (Opt.)
Max. Working Pressure	10 bar
Max. Working Temp.	160 °C
Contact	Yes
Drain Plug	3/8"

Fluid Density	Water 1 gr/cm ³	Diesel 0,88 gr/cm ³	Fuel Oil 0,92 gr/cm ³	Ammonia 0,65 gr/cm ³
Float Chamber Meas.	22,5 cm	22,5 cm	22,5 cm	30 cm
Float Dissambly Meas.	42 cm	44 cm	45 cm	60 cm

MG-33SC DISPLAY SCALE MODEL MAGNETIC LEVEL GAUGE



DISPLAY SCALE



HEAD OFFICE - FACTORY

Atatürk Sanayi Bölgesi Hadımköy Mahallesi Mustafa İnan Caddesi No: 44 Arnavutköy - İSTANBUL
Tel: +90 212 771 01 45 (pbx) | Fax: +90 212 771 47 27
info@ayvaz.com | www.ayvaz.com

Cona Caserta/Italy

Tel: +39 0823 187 3988
rmolaro@ayvaz.com

Ayvaz Germany Viernheim/Germany

Tel: +49 62046014399
germany@ayvaz.com

Ayvaz Ukraine Kiev/Ukraine

Tel: +380 44 390 57 57
info@ayvaz.com.ua

Tricorr Warsaw/Poland

Tel: +48 530 030 810
+48 533 603 335
tricorr@tricorr.eu

Ayvaz Azerbaijan Baku/Azerbaijan

Tel: +99 (455) 579-84-32
ahayatov@ayvaz.com

Ayvaz Egypt Cairo/Egypt

Tel: +20 122 819 78 29
andrew.eid@ayvaz.com

Ayvaz Gulf Dubai/U.A.E

Tel: +971 563550822
+971 501306871
mideast@ayvaz.com

Ayvaz China Ningbo/China

Tel: +86 152 5830 7361
msahin@ayvaz.com

Ayvaz Kazakhstan LLP Almaty/Kazakhstan

Tel: +7 (727) 327 97 57
info_kz@ayvaz.com

Ayvaz N Ispirih/Bulgaria

Tel: +359 8431 27 32
office@ayvaz-n.eu

Ayvaz Serbia Belgrade/Serbia

Tel: +381 61 658 70 52
yakbiyik@ayvaz.com

Ayvaz Vietnam HCMC/Vietnam

Tel: +84 89 8508345

Ayvaz Americas Rhode Island/USA

Tel: +1 401 737 8380
americas@ayvaz.com