



QXZQ.EX2855 - Fire Pump Relief Valves

Fire Pump Relief Valves

GRISWOLD INDUSTRIES, DBA CLA-VAL CO
 1701 PLACENTIA AVE
 COSTA MESA, CA 92627-4416 United States

EX2855

Model	Body Type	Nom Pipe Size, NPS	End Configuration*	Max Relief (Set) Pressure, psig
Fire pump relief valve				
50B-4KG1	Globe	3,4,6,8	Class 150-F by F	250
50B-4KG1	Globe	3,4,6,8	Class 300 - F by F, G by G	300
50B-4KG1KOL	Globe	3,4,6,8	Class 150-F by F	250
50B-4KG1KOL	Globe	3,4,6	Class 300 - F by F, G by G	300
50B-4KG1KOL	Globe	8	Class 300 - F by F	300
2050B-4KG1	Angle	3,4,6,8	Class 150-F by F	250
2050B-4KG1	Angle	3,4,6	Class 300 - F by F, G by G	300
2050B-4KG1	Angle	8	Class 300 - F by F	300
2050B-4KG1KOL	Angle	3,4,6,8	Class 150-F by F	250
2050B-4KG1KOL	Angle	3,4,6	Class 300 - F by F, G by G	300
2050B-4KG1KOL	Angle	8	Class 300 - F by F	300
750B-4KG1	Wafer	3,4	Wafer	200
750B-4KG1	Globe	6,8,10	Class 150-F by F	200
750B-4KG1	Wafer	3,4	Wafer	300
750B-4KG1	Globe	6,8,10	Class 300 F by F	300

F - Flanged

T - Threaded

G- Grooved

KOL- indicates anti-cavitation seat.

* End configurations are intended to be installed on systems not exceeding end configurations' working capabilities.

Last Updated on 2021-10-21

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"